



Dr. Basem Eldeyasty

Medical Director, KIPC

Associate Professor of Anesthesia & Pain Medicine, McMaster University

Based in Kitchener, Canada, specializing in advanced image-guided pain management.

Why Refer to KIPC?

Excellence in Clinical Care and Provider Collaboration

A

Rapid Access

Consultation appointments are scheduled within one week.

B

Efficient Care

Same-day procedures offered when clinically appropriate.

C

Expertise

Fellowship-trained physicians lead all aspects of clinical care.

D

Precision

Utilization of fluoroscopy-guided interventions for improved safety.

E

Partnership

Maintaining dedicated collaborative communication with referring providers.

Conditions Commonly Referred

A overview of prevalent conditions treated in clinical practice



Spinal Pain

Addressing persistent neck, midback, and low back pain.




Radiculopathy

Treatment for nerve root irritation and associated discomfort.



SI Joint Dysfunction

Managing pain resulting from sacroiliac joint instability.




Osteoarthritis

Support for chronic joint pain and degenerative conditions.



Neuropathic Pain

Interventions for chronic nerve-related pain symptoms.



CRPS

Specialized care for Complex Regional Pain Syndrome.

Rapid Access Model

Streamlining care through timely interventions and efficient workflows



Consultations

Scheduled within one week to ensure timely medical evaluation.



Procedures

Facilitated on the same day when clinically appropriate to minimize patient burden.




Core Benefits

Earlier diagnosis, expedited treatment, improved patient satisfaction, and optimized resource utilization.

The Rapid Access Model delivers faster diagnoses, better patient experiences, and enhanced clinical efficiency.

Fluoroscopy-Guided Epidural Steroid Injections

Precision Pain Management and Targeted Relief



- **Targeted Spinal Access**
Comprehensive site coverage encompassing Cervical, Thoracic, and Lumbar regions for precise needle placement.
- **Radiculopathy**
Focused intervention to alleviate nerve root inflammation and associated pain patterns.
- **Stenosis**
Effective management for neurogenic claudication and symptomatic neural compression.
- **Disc Herniation**
Therapeutic reduction of disc-related inflammatory responses to provide relief from acute or chronic pain.

Why Fluoroscopy Matters

Enhancing precision and patient safety in real-time imaging



- **Accurate needle placement**
Ensures precise targeting of clinical instruments for optimal results.
- **Contrast confirmation**
Provides real-time visual verification throughout the procedure.
- **Improved precision**
Reduces error rates during complex anatomical maneuvers.
- **Enhanced safety**
Minimizes patient risk through continuous visual monitoring.

Facet & SI Joint Interventions

Image-guided diagnostic and therapeutic procedures

- **Facet joint injections**

Targeted delivery of medication directly into the joint to alleviate inflammation and provide therapeutic relief.

- **Medial branch blocks**

Diagnostic nerve blocks used to determine if facet joint pain is the source of a patient's symptoms prior to further intervention.

- **SI joint injections**

Image-guided procedures to treat pain originating from the sacroiliac joint, offering both diagnostic insight and temporary symptomatic management.

Spine Radiofrequency Ablation (RFA)

Minimally invasive treatment for chronic facet-mediated spinal pain

- **Procedure Overview**

A minimally invasive technique that utilizes thermal energy to interrupt pain signals transmitted by the facet joints.

- **Targeted Spinal Regions**


The procedure is applicable across the cervical (neck), thoracic (mid-back), and lumbar (lower back) regions.

- **Primary Indication**

Serving as a highly effective intervention for patients suffering from chronic pain originating from the spinal facet joints.

Peripheral Joint Injections

Advanced diagnostic and therapeutic procedures for common joint conditions



Joint Sites

Targeted procedures specifically designed for the knee, hip, and shoulder.



Diagnostic Applications

Utilized to confirm the precise source of pain through a targeted anesthetic response.



Therapeutic Applications

Provides effective, localized relief from inflammation, chronic pain, and various degenerative conditions.

Peripheral Joint Radiofrequency Ablation

Targeted nerve interventions for chronic joint pain management



Genicular Nerve RFA

Targeted treatment for chronic knee pain by addressing the superior and inferior genicular nerve branches.



Hip Articular Branch RFA

Intervention for hip joint pain targeting the articular sensory branches of the femoral, obturator, and sciatic nerves.



Shoulder Sensory Nerve RFA

Focused treatment for chronic shoulder pain, primarily involving the suprascapular and axillary nerves.

Intravenous Infusion Therapies

Advanced pharmacological interventions for chronic pain management



- **Intravenous Lidocaine Infusions**
Targeted for neuropathic pain, CRPS, and central sensitization by blocking sodium channels to stabilize nerve excitability.
- **Intravenous Ketamine Infusions**
Indicated for refractory chronic pain and complex neuropathic conditions, acting as an NMDA receptor antagonist to modulate central pain processing.

Complex Regional Pain Syndrome (CRPS)

Clinical Features, Diagnostic Indicators, and Management Imperatives




Disproportionate Pain

Pain intensity and duration that far exceed the expected response to the initial injury.



Allodynia

Heightened sensitivity to minor stimuli, such as light touch, that typically should not cause pain.



Autonomic Changes

Physical, observable variances in skin temperature, pigmentation, or swelling versus the healthy limb.

Early diagnosis and prompt multidisciplinary management are essential to prevent chronic damage and improve long-term functional outcomes.

Sympathetic Blocks

Clinical Indications and Applications



Lumbar Sympathetic Blocks

Indicated primarily for the management of Complex Regional Pain Syndrome (CRPS) and various sympathetically maintained pain syndromes.




Stellate Ganglion Blocks

Utilized for upper extremity pain (CRPS) and currently under investigation for therapeutic applications in PTSD and Chronic Fatigue Syndrome (ME/CFS).

Referral Pathway

Standard operating procedure for specialized medical care



Why Family Physicians Choose KIPC

Delivering integrated, efficient, and patient-centered pain management solutions.



Streamlined Referral Pathway

Patients gain instant access to a comprehensive suite of interventional pain services through a single referral.



Integrated Care Coordination

We ensure seamless patient management through continuous, proactive communication with your office.



Evidence-Based Interventions

Utilizing advanced, minimally invasive procedures to effectively reduce chronic pain and enhance functional outcomes.



Reduced Administrative Burden

Simplified intake and scheduling workflows to save time for both providers and patients.



Precision Pain Care. Restoring Quality of Life.



IMAGE-GUIDED
PRECISION



ADVANCED
INTERVENTIONS



COMPASSIONATE
CARE



MINIMAL
WAIT TIMES

Kitchener Interventional Pain Clinic

1585 Victoria St N., Kitchener, ON N2B
3E6



(519) 340-5840



(519) 340-5850



www.kitchenerinterventionalpainclinic.ca